


Xpress gfx Points

Points List Configuration Tool



Overview

Xpress gfx Points is an add-on to Microsoft® Excel that allows you to configure EC- gfx Program I/O resources by reusing points list information from engineering.

A detailed points list worksheet can be created in Microsoft Excel for a wide range of Distech Controls' ECB Series BACnet®, ECL Series LONWORKS®, and ECLYPSE™ ECY Series controllers. Conversely, users can import existing EC- gfx Program I/O configurations into Microsoft Excel and generate an engineering points list. Users can also export any Microsoft Excel points list to EC- gfx Program as fully defined I/O blocks.

Features & Benefits

- Control engineers and control technicians can use this tool to create points lists for engineering submittals and then bring the data over to EC- gfx Program for further manipulation
- Transfer data back and forth between the Microsoft Excel points list and EC- gfx Program file to simplify the process of adding, removing, and editing points
- Select the parameters that are to be shown in the points list and add extended configuration features like I/O range, filter, default value, and alarms configuration
- The Parts Manager functionality allows the user to pre-configure all configuration parameters of an input or output
- Create a backup of your field devices database and/or share it easily
- Xpress gfx Points allows you to create and/or edit templates of systems that can be re-used, thus saving time when generating points list for engineering
- The tool is customizable and can easily be configured. Users can add a company logo to the Microsoft Excel worksheet template and also add Lexicons for different worksheet languages.
- Update as-built points lists after they have been modified by the field technicians without having to duplicate any information. It validates point lists and checks for errors at any time to eliminate data entry errors.

System Requirements

Operating System	Microsoft Windows 8.1 or later
Processor	Minimum required by Operating System
Memory	Minimum required by Operating System
Display	1024 × 768-pixel resolution or greater
Hard Drive	Minimum required by Operating System
Network Support	Ethernet adapter (10/100MB with RJ45 connector) or Wi-Fi adapter
Internet Connection	Full-time high-speed ISP recommended for remote site access (56K modem at minimum)
EC-gfxProgram	Version 5.0 or later
Microsoft Excel	Desktop Version 2010 Pro or later

Specifications subject to change without notice.

ECLYPSE, Distech Controls, the Distech Controls logo, EC-Net, Allure, and Allure UNITOUCH are trademarks of Distech Controls Inc. BACnet is a registered trademark of ASHRAE; BTL is a registered trademark of the BACnet Manufacturers Association. The Bluetooth[®] word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks is under license. All other trademarks are property of their respective owners.

©, Distech Controls Inc., 2015 - 2021 All rights reserved.

Global Head Office - 4205 place de Java, Brossard, QC, Canada, J4Y 0C4 - EU Head Office - ZAC de Sacuny, 558 avenue Marcel Mérieux, 69530 Brignais, France